

## I - Identification of the Substance and of the Company

**SUPPLIER:** RMO, Inc.  
650 W. Colfax Ave.  
Denver, CO 80204  
303-592-8200

**Trade Name and Synonyms:** NON-LATEX ELASTICS/ ULTRA NON-LATEX ELASTICS/ GLOW ELASTICS  
Description: Non-Latex Elastics

Emergency Information Chemtrec: 800-424-9300

Chemtrec International: 202-483-7616

Product Grade / Name:

ChemicalName: STYRENE BUTADIENE COPOLYMER FORMULA

Chemical Family: BLOCK COPOLYMER

## II – Composition/Information on Ingredients

INGREDIENT NAME	/CAS #	EXPOSURE LIMITS	CONCENTRATION
STYRENEBUT ADIENE	9003-55-8	N/A	<65%
MINERAL OIL	8042-47-5	N/A ZINC	<40%
STEARATE	567-05-1	N/A ANTIOXIDANTE/	< 1%
STABILIZERS			< 1%
MAGNESIUM CARBONATE	546-93-0	N/A	< 1%
HYDRATED	63231-67-4	N/A	< 1%
AMORPHOUS SILICA			< 1%

## III – Hazards Identification

Medical Conditions Aggravated by Exposure: No known effects

Exposure Limits: None

Potential Health Effects: None

Routes of Entry: N/A

Human Effects and Symptoms of Overexposure: N/A

Acute Inhalation: No significant health hazard

Chronic Inhalation: None

Acute Eye Contact: Mechanical Irritation

Carcinogenicity: None

## IV – First Aid Measures

Eyes: N/A

Skin: N/A

Inhalation: N/A

Ingestion: N/A

## V – Fire Fighting Measures

Flash Point: N/A

Flammable Limits:

---

Upper Explosive Limit: N/A  
Lower Explosive Limit: N/A  
Extinguisher Media: Foam, CO2, Dry Chemical  
Special Fire Fighting Procedures: None

---

#### **VI – Accidental Release Measures**

---

Contain and remove by mechanical means.

---

#### **VII – Handling and Storage**

---

Storage Temperature (Min/Max): Ambient  
Shelf Life: 2 years  
Special Sensitivity: N/A  
Handling/Storage Precautions: Keep away from flame or excessive heat.

---

#### **VIII – Exposure Controls / Personal Protection**

---

Ventilation Requirements:  
Adequate Ventilation Practice  
Personal Protective Equipment:  
Respiratory Protection: None  
Eye Protection: None  
Skin Protection: None

---

#### **X – Physical and Chemical Properties**

---

Physical Form: Solid  
Color: Amber and F.D.A. allowable colors.  
Odor: Characteristic odor.  
PH: N/A  
Boiling Point: N/A  
Melting – Freezing Point: N/A  
Solubility in Water: Insoluble  
Specific Gravity: .95 (In Water = 1)  
Bulk Density: N/A  
% Volatile by Volume: N/A  
Vapor Pressure: N/A

---

#### **X – Stability and Reactivity**

---

Stability:  
Unstable ( ) Stable (X)  
Conditions to Avoid: Flames or Excessive Heat.  
Incompatibility:  
Material to Avoid: None Known  
Hazardous Decomposition Products:  
By fire; Oxides of Carbon when burned.  
Hazardous Polymerization:  
May Occur ( ) Will Not Occur (X)  
Conditions to Avoid:  
Overheating  
HMIS Ratings: Health: 0 / Flammability: 0 / Reactivity: 0

---

---

**XI–Toxicological Information**

---

Toxicity tests have not been conducted on this product.

---

**XII–Ecological Information**

---

None

---

**XIII-Disposal Considerations**

---

In accordance to Federal, State, or Local Regulations.

---

**XIV-Transportation Information**

---

Technical Shipping Name: Rubber, Natural, Tubing

Freight Class Bulk: N/A

Freight Class Packaged: N/A

Product Label: N/A

Hazard Class or Division: Non-Hazardous

Hazard Class or Division Number: Not Hazardous by D.O.T. Regulations.

---

**XV-Regulatory Information**

---

SARA TITLE III:

Section 302 Extremely hazardous Substances: None

Section 311/312 hazard Categories:None

Section 313 Toxic Chemicals:None

RERA Status: Non-Hazardous

---

**XVI–Other Information**

---

Note: While the information and recommendations set forth on this data sheet are believed to be accurate as received from our suppliers, RMO, Inc. makes no warranty with respect thereto and disclaims all liability from reliance thereon.